

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(327/309,317,318,319,321,333).ccls. and (shapng adj2 filter) same (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/16 11:54
L3	5	("381"/\$).ccls. and (shaping adj2 circuit) and (impedance adj2 matching)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/16 11:54
L4	0	(327/309,317,318,319,321,333).ccls. and (shapng adj2 filter) and (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/16 11:54
L5	0	("381/94.9,94.8,108").ccls. and (shap\$3 adj2 filter) and (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/16 11:54
L7	0	(330/298,207A).ccls. and (shaping adj2 filter) and (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/16 11:57
S1	27	("381"/\$).ccls. and frequency same limit\$2 same clamp\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 14:59
S2	3	"5418860".URPN.	USPAT	OR	OFF	2004/09/27 14:59
S3	0	frequency same excursion same clamp\$3 same speak\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 15:00
S4	2	"meyer".AS. and excursion	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 15:16
S5	3	"6081602".URPN.	USPAT	OR	OFF	2004/09/27 15:02
S6	131	kohut.in.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 15:07
S7	9	"5185801".URPN.	USPAT	OR	OFF	2004/09/27 15:08
S8	9	"5185801".URPN.	USPAT	OR	OFF	2004/09/27 15:10
S9	3	"5784474".URPN.	USPAT	OR	OFF	2004/09/27 15:10
S10	6	"5815580".URPN.	USPAT	OR	OFF	2004/09/27 15:11
S11	27	"meyer".in. and excursion	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 15:16
S12	27	meyer.in. and excursion	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 15:16
S13	81	("381"/\$).ccls. and shap\$3 adj2 filter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 15:19

S14	2	(381/55-59,100,96).ccls. and (voltage adj2 clamp\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:09
S15	29	(381/55-59,100,96).ccls. and (voltage near2 limit\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 15:46
S16	8	"4163119".URPN.	USPAT	OR	OFF	2004/09/27 15:25
S17	12	"4327250".URPN.	USPAT	OR	OFF	2004/09/27 15:26
S18	3	"5481617".URPN.	USPAT	OR	OFF	2004/09/27 15:28
S19	313	(381/55,59).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/09/27 15:33
S20	4	"5548650".URPN.	USPAT	OR	OFF	2004/09/27 15:40
S21	2	(381/55-59,100,96).ccls. and (FFT same IFFT)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:22
S22	0	(FFT same IFFT) same (speaker adj3 excursion)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 15:47
S23	17	(381/55-59,100,96).ccls. and (second adj2 order) same (high adj2 pass adj2 filter)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:30
S24	5	((("5418860") or ("5170435") or ("4875546") or ("4296278") or ("4173740"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/15 15:36
S25	6	"meyer".AS. and limiter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:10
S26	1	kohut.in. and limiter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:10
S27	0	(381/55).ccls. and summ\$4 same clamp\$3 same filter same branch	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:29
S28	0	(381/55).ccls. and frequency same limit\$2 same clamp\$3 same branch	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/31 17:39
S29	0	("381"/\$).ccls. and frequency same limit\$2 same clamp\$3 same branch	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 14:57
S30	30	frequency near2 excursion near2 limit\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/31 17:57
S31	22	"4583245".URPN.	USPAT	OR	OFF	2004/08/31 17:55
S32	4	"5548650".URPN.	USPAT	OR	OFF	2004/08/31 17:56

S33	3	frequency near2 excursion near2 device	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 12:46
S34	0	(381/55,100,96,59).ccls. and summ\$4 same clamp\$3 same filter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 12:57
S35	1	(381/55,100,96,59).ccls. and clamp\$3 same filter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/31 17:58
S36	10	(frequency near2 excursion) same (loudspeak\$2)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/31 18:01
S37	100	(381/55).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/31 18:02
S38	0	(381/55,100,96,59).ccls. and voltage adj2 claom\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/31 18:03
S39	2	(381/55,100,96,59).ccls. and voltage adj2 clamp\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/31 18:03
S40	109	frequency near2 excursion same limit\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/02 16:41
S41	0	frequency near2 excursion same sum\$4 and clamp\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/02 16:41
S42	60	(frequency near2 excursion) and sum\$4 and clamp\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/02 16:42
S43	2116	(frequency near2 limit\$3) and sum\$4 and clamp\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/02 16:43
S44	9	(frequency near2 limit\$3) same sum\$4 same clamp\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/02 16:43
S45	0	(381/55).ccls. and summ\$4 same clamp\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/02 16:43
S46	0	(381/55).ccls. and sum\$4 same clamp\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/02 16:43
S47	6	(381/55).ccls. and sum\$4 same voltage	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/02 16:43
S48	2	"5729611".URPN.	USPAT	OR	OFF	2004/09/02 16:44

S49	1	(frequency adj2 dependent) same (excursion adj2 limit\$2)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 12:49
S50	2007	"meyer".AS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 12:49
S51	2	"meyer".AS. and excursion	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 12:50
S52	2	"meyer".AS. and overload	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 12:50
S53	131	kohut.in.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 12:54
S54	9	"5185801".URPN.	USPAT	OR	OFF	2004/09/17 13:36
S55	58	meyer.in. and speaker	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:22
S56	1	(381/55,100,96,59).ccls. and branch adj2 filter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:24
S57	0	(381/55,100,96,59).ccls. and feed adj2 forward adj2 filter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:02
S58	2	(381/55,100,96,59).ccls. and sum\$4 and (voltage adj2 clamp\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 15:19
S59	2	(381/55-59,100,96).ccls. and sum\$4 and (voltage adj2 clamp\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/27 15:21
S60	0	(381/55-59,100,96).ccls. and feed adj2 forward adj2 filter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:02
S61	590	branch adj2 filter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:03
S62	255	branch adj filter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:04
S63	2	(branch adj filter) same summ\$3 same voltage	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:05
S64	0	(branch adj filter) same speaker same protect\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:06

S65	0	(branch adj filter) same speaker	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:06
S66	14	(branch adj filter) same limit\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:08
S67	0	(branch adj filter) same excursion	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:08
S68	1189	meyer.in. and voltage	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:22
S69	18	meyer.in. and voltage and speaker	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:23
S70	10	meyer.in. and voltage adj2 clamp\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:23
S71	2	(381/55,100,96,59).ccls. and voltage adj2 clamp\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:24
S72	5	((("5418860") or ("5170435") or ("4875546") or ("4296278") or ("4173740"))).PN.	USPAT; USOCR	OR	OFF	2004/09/17 13:38
S73	0	(inverse adj2 shap\$3 adj2 filter) same (voltage adj2 clamp)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:38
S74	0	(inverse adj2 shap\$3 adj2 filter) same (voltage adj2 clamp\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:39
S75	0	(inverse adj2 shap\$3 adj2 filter) and (voltage adj2 clamp\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:46
S76	59	(filter) same (voltage adj2 clamp\$3) same protec\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:51
S77	5	(filter) same (voltage adj2 clamp\$3) and protec\$4 and speaker	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:49
S78	56	(voltage adj3 protect\$4) same speak\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/17 13:51
S80	0	(381/55-59,100,96).ccls. and (voltage adj2 clamp\$3) and (shaping adj2 filter)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:09
S81	22	"meyer".AS. and loudspeaker	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:15

S82	6	kohut.in. and loudspeaker	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:10
S83	0	(381/55-59,100,96).cccls. and (feed adj2 forward adj2 branch adj2 filter) same inverse	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:17
S84	0	(381/55-59,100,96).cccls. and (feed adj2 forward adj2 branch adj2 filter) same inverse	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:17
S85	0	("381"/\$).cccls. and (feed adj2 forward adj2 branch adj2 filter) same inverse	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:17
S86	0	\$4speak\$4 and (feed adj2 forward adj2 branch adj2 filter) same inverse	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:18
S87	0	limiter same (feed adj2 forward adj2 branch adj2 filter) same inverse	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:18
S88	1	(381/55-59,100,96).cccls. and (branch adj2 filter)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:22
S89	104	(381/55).cccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:29
S90	2	(381/55-59,100,96).cccls. and (summ\$3 or add\$3) and (voltage adj2 clamp\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 13:58
S91	0	("381"/\$).cccls. and (summ\$3 or add\$3) and (voltage adj2 clamp\$3) and (inverse adj2 frequency)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:33
S92	0	(transducers or \$4speak\$4) and (summ\$3 or add\$3) and (voltage adj2 clamp\$3) and (inverse adj2 frequency)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 09:33
S93	0	(381/55-59,100,96).cccls. and (shaping adj2 circuit) and (impedance adj2 matching)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/11 13:58
S94	5	("381"/\$).cccls. and (shaping adj2 circuit) and (impedance adj2 matching)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/16 11:54
S95	198	(381/94.9,94.8,108).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/15 15:41
S96	1080	(330/298,207A).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/16 11:56

S97	2703	(327/309,317,318,319,321,333). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/15 15:37
S98	0	(327/309,317,318,319,321,333). ccls. and (branch adj2 filter) same (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/16 11:46
S99	0	(327/309,317,318,319,321,333). ccls. and (frequency near2 limiter) same (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 15:39
S10 0	0	(327/309,317,318,319,321,333). ccls. and (excursion near2 limiter) same (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 15:40
S10 1	0	("381/94.9,94.8,108").ccls. and (excursion near2 limiter) same (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 15:42
S10 2	0	("381/94.9,94.8,108").ccls. and (branch adj2 filter) same (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 15:42
S10 3	0	("330/298,207A).ccls. and (branch adj2 filter) same (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 15:41
S10 4	0	("381/94.9,94.8,108").ccls. and (branch adj2 filter)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 15:42
S10 5	0	("381/94.9,94.8,108").ccls. and (summ\$3) same (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/16 11:54
S10 6	0	(327/309,317,318,319,321,333). ccls. and (summ\$3) same (inverse adj2 frequency adj2 response)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 15:43